The Appendix is an integral part of
Certificate of Accreditation: 595/2024 of 14/11/2024

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Honeywell, spol. s r.o. – HTS CZ o.z.
CAB number 1757, IA Testing Laboratory
Tuřanka 1460/106a, Slatina, 627 00 Brno

Tests:

Ordinal number[1]	Test procedure /method name	Test procedure / method identification[2]	Subject of the test	Degrees of freedom[3]
1	**Guided type fall arresters – rigid anchor line**			
1.1	Static strength test	ČSN EN 353-1+A1, cl. 5.2 ANSI Z359.16, cl. 4.2.2	Guided type fall arresters including a rigid anchor line	-
1.2	Function tests			
1.2.1	Cold condition function test	ČSN EN 353-1+A1, cl. 5.3.3; EN 353-1+A1, cl. 5.3.3	Guided type fall arresters including a rigid anchor line	-
1.2.2	Minimum distance from rigid anchor line function test	ČSN EN 353-1+A1, cl. 5.3.4; EN 353-1+A1, cl. 5.3.4	Guided type fall arresters including a rigid anchor line	-
1.2.3	Function test on a guiding bracket for a rigid anchor line made of wire rope	ČSN EN 353-1+A1, cl. 5.3.5; EN 353-1+A1, cl. 5.3.5	Guided type fall arresters including a rigid anchor line	-
1.2.4	Fall back function test	ČSN EN 353-1+A1, cl. 5.3.6; EN 353-1+A1, cl. 5.3.6	Guided type fall arresters including a rigid anchor line	-
1.2.5	Sideways fall function test	ČSN EN 353-1+A1, cl. 5.3.7; EN 353-1+A1, cl. 5.3.7	Guided type fall arresters including a rigid anchor line	-
1.2.6	Sideways leaning anchor line function test	ČSN EN 353-1+A1, cl. 5.3.8; EN 353-1+A1, cl. 5.3.8	Guided type fall arresters including a rigid anchor line	-
1.3	Corrosion resistance test	ČSN EN 353-1+A1, cl. 5.4; EN 353-1+A1, cl. 5.4; ČSN EN ISO 9227, cl. 5.2.2; EN ISO 9227, cl. 5.2.2;	Guided type fall arresters including a rigid anchor line	-
1.4	Dynamic performance test	ČSN EN 353-1+A1, cl. 5.3.2; EN 353-1+A1, cl. 5.3.2; ANSI Z359.16, cl. 4.2.1	Guided type fall arresters including a rigid anchor line	-
1.5	Locking function test	ANSI Z359.16, cl. 4.2.3	Guided type fall arresters including a rigid anchor line	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Honeywell, spol. s r.o. – HTS CZ o.z.
CAB number 1757, IA Testing Laboratory
Tuřanka 1460/106a, Slatina, 627 00 Brno

Ordinal number[1]	Test procedure /method name	Test procedure / method identification[2]	Subject of the test	Degrees of freedom[3]
1.6	Environmental conditioning	ANSI Z359.16, cl. 4.2.4	Guided type fall arresters including a rigid anchor line	-
1.7	Carrier stop and carrier gate test	ANSI Z359.16, cl. 4.2.5	Guided type fall arresters including a rigid anchor line	-
1.8	Climbing extension fall arrest attachment point static test	ANSI Z359.16, cl. 4.2.6	Guided type fall arresters including a rigid anchor line	-
1.9	Dynamic strength test	CSA Z259.2.4, cl. 5.3.4	Guided type fall arresters including a rigid anchor line	-
1.10	Residual static strength test	CSA Z259.2.4, cl. 5.3.5	Guided type fall arresters including a rigid anchor line	-
2	**Guided type fall arresters – flexible anchor line**			
2.1	Locking test after conditioning	ČSN EN 353-2, cl. 5.1; EN 353-2, cl. 5.1; ČSN EN 364, cl. 5.11; EN 364, cl. 5.11	Guided type fall arresters including a flexible anchor line	-
2.2	Static strength test	ČSN EN 353-2, cl. 5.2; EN 353-2, cl. 5.2; ČSN EN 364, cl. 5.5.6; EN 364, cl. 5.5.6	Guided type fall arresters including a rigid anchor line	-
2.3	Dynamic performance test	ČSN EN 353-2, cl. 5.3; EN 353-2, cl. 5.3; ČSN EN 364, cl. 5.5.2; EN 364, cl. 5.5.2; ANSI/ASSE Z359.15, cl. 4.2.2 CSA Z259.2.5, cl. 5.3.2	Guided type fall arresters including a rigid anchor line	-
2.4	Corrosion test	ČSN EN 353-2, cl. 5.4; EN 353-2, cl. 5.4; ČSN EN 364, cl. 5.13; EN 364, cl. 5.13; ČSN EN ISO 9227, cl. 5.2.2; EN ISO 9227, cl. 5.2.2	Guided type fall arresters including a rigid anchor line	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Honeywell, spol. s r.o. – HTS CZ o.z.
CAB number 1757, IA Testing Laboratory
Tuřanka 1460/106a, Slatina, 627 00 Brno

Ordinal number[1]	Test procedure /method name	Test procedure / method identification[2]	Subject of the test	Degrees of freedom[3]
2.5	Function test	ANSI/ASSE Z359.15, cl. 4.2.1	Guided type fall arresters including a rigid anchor line	-
2.6	Residual static strength test	ANSI/ASSE Z359.15, cl. 4.2.3	Guided type fall arresters including a rigid anchor line	-
2.7	Dynamic performance - Manual override test	ANSI/ASSE Z359.15, cl. 4.2.4	Guided type fall arresters including a rigid anchor line	-
2.8	Conditioning tests	ANSI/ASSE Z359.15, cl. 4.2.5	Guided type fall arresters including a rigid anchor line	-
2.9	Static strength test - Single anchor life-line	ANSI/ASSE Z359.15, cl. 4.3.1	Guided type fall arresters including a rigid anchor line	-
2.10	Static strength test	ANSI/ASSE Z359.15, cl. 4.3.2	Guided type fall arresters including a rigid anchor line	-
2.11	Mobility test	CSA Z259.2.5, cl. 5.3.5	Guided type fall arresters including a rigid anchor line	-
2.12	Dynamic performance test in relaxed position	CSA Z259.2.5, cl. 5.3.6	Guided type fall arresters including a rigid anchor line	-
3	**Lanyards**			
3.1	Conditioning test	ČSN EN 354, cl. 5.2; EN 354, cl. 5.2	Lanyards	-
3.2	Slippage test	ČSN EN 354, cl. 5.6; EN 354, cl. 5.6	Lanyards	-
3.3	Static strength test	ČSN EN 354, cl. 5.7; EN 354, cl. 5.7	Lanyards	-
3.4	Dynamic strength test	ČSN EN 354, cl. 5.8; EN 354, cl. 5.8	Lanyards	-
3.5	Corrosion resistance test	ČSN EN 354, cl. 5.9; EN 354, cl. 5.9; ČSN EN ISO 9227, cl. 5.2.2; EN ISO 9227, cl. 5.2.2	Lanyards	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Honeywell, spol. s r.o. – HTS CZ o.z.
CAB number 1757, IA Testing Laboratory
Tuřanka 1460/106a, Slatina, 627 00 Brno

Ordinal number[1]	Test procedure /method name	Test procedure / method identification[2]	Subject of the test	Degrees of freedom[3]
4	**Belts, lanyards for work positioning or restraint**			
4.1	Static strength test and slippage test	ČSN EN 358, cl. 5.6; EN 358, cl. 5.6	Belts and lanyards for work positioning and arresting	-
4.2	Dynamic strength test	ČSN EN 358, cl. 5.7; EN 358, cl. 5.7	Belts and lanyards for work positioning and arresting	-
4.3	Corrosion resistance test	ČSN EN 358, cl. 5.8; EN 358, cl. 5.8 ČSN EN ISO 9227, cl. 5.2.2; EN ISO 9227, cl. 5.2.2	Belts and lanyards for work positioning and arresting	-
5	**Energy absorbers**			
5.1	Static preloading test	ČSN EN 355, cl. 5.1 ČSN EN 364, cl. 5.3.2	Fall arresters, fall arresters integrated with lanyards, fall arresters integrated with full body harnesses	-
5.2	Dynamic performance test	ČSN EN 355, cl. 5.1; EN 355, cl. 5.1; ČSN EN 364, cl. 5.3.2; EN 364, cl. 5.3.2	Fall arresters, fall arresters integrated with lanyards, fall arresters integrated with full body harnesses	-
5.3	Static strength test	ČSN EN 355, cl. 5.2; EN 355, cl. 5.2; ČSN EN 364, cl. 5.3.4; EN 364, cl. 5.3.4 ANSI/ASSE Z359.13, cl. 4.4, 4.5, 4.8, 4.9, 4.10	Fall arresters, fall arresters integrated with lanyards, fall arresters integrated with full body harnesses	-
5.4	Dynamic drop test	ČSN EN 355, cl. 5.3; EN 355, cl. 5.3; ČSN EN 364, cl. 5.3.6; EN 364, cl. 5.3.6 ANSI/ASSE Z359.13, cl. 4.3, 4.6, 4.7, 4.11	Fall arresters, fall arresters integrated with lanyards, fall arresters integrated with full body harnesses	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Honeywell, spol. s r.o. – HTS CZ o.z.
CAB number 1757, IA Testing Laboratory
Tuřanka 1460/106a, Slatina, 627 00 Brno

Ordinal number[1]	Test procedure /method name	Test procedure / method identification[2]	Subject of the test	Degrees of freedom[3]
5.5	Activation force test	CSA Z259.11, cl. 6.1.2, 6.2.5, 6.2.6, 6.2.7	Fall arresters, fall arresters integrated with lanyards, fall arresters integrated with full body harnesses	-
5.6	Static resistance test	ANSI/ASSE Z359.13, cl. 4.2	Fall arresters, fall arresters integrated with lanyards, fall arresters integrated with full body harnesses	-
5.7	Residual static strength	CSA Z259.11, cl. 6.1.3	Fall arresters, fall arresters integrated with lanyards, fall arresters integrated with full body harnesses	-
5.8	Slippage test	CSA Z259.11, cl. 6.2.10	Fall arresters, fall arresters integrated with lanyards, fall arresters integrated with full body harnesses	-
5.9	Conditioning test	CSA Z259.11, cl. 6.2.11	Fall arresters, fall arresters integrated with lanyards, fall arresters integrated with full body harnesses	-
6	**Retractable type fall arrester**			
6.1	Locking test after conditioning	ČSN EN 360, cl. 5.1; EN 360, cl. 5.1; ČSN EN 364, cl. 5.11; EN 364, cl. 5.11	Retractable type fall arresters	-
6.2	Static strength test	ČSN EN 360, cl. 5.2; EN 360, cl. 5.2; ČSN EN 364, cl. 5.7.4; EN 364, cl. 5.7.4;	Retractable type fall arresters	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Honeywell, spol. s r.o. – HTS CZ o.z.
CAB number 1757, IA Testing Laboratory
Tuřanka 1460/106a, Slatina, 627 00 Brno

Ordinal number[1]	Test procedure /method name	Test procedure / method identification[2]	Subject of the test	Degrees of freedom[3]
		ANSI/ASSP Z359.14, cl. 4.2.1, 4.2.2, 4.3.4.4; CSA Z259.2.2, cl. 7.4		
6.3	Dynamic performance test	ČSN EN 360, cl. 5.3; EN 360, cl. 5.3; ČSN EN 364, cl. 5.7.2; EN 364, cl. 5.7.2; ANSI/ASSP Z359.14, cl. 4.3.1, 4.3.2, 4.3.3; CSA Z259.2.2, cl. 7.2	Retractable type fall arresters	-
6.4	Corrosion test	ČSN EN 360, cl. 5.5; EN 360, cl. 5.5; ČSN EN 364, cl. 5.13; EN 364, cl. 5.13; ČSN EN ISO 9227, cl. 5.2.2; EN ISO 9227, cl. 5.2.2	Retractable type fall arresters	-
6.5	Retracting tension test	ANSI/ASSE Z359.14, cl. 4.5.1	Retractable type fall arresters	-
6.6	Horizontal orientation retracting test	ANSI/ASSE Z359.14, cl. 4.5.2	Retractable type fall arresters	-
6.7	Function test	ANSI/ASSP Z359.14, cl. 4.3.4.1, 4.3.4.2, 4.3.4.3	Retractable type fall arresters	-
6.8	Rescue, post fall arrest test	ANSI/ASSE Z359.14, cl. 4.3.4	Retractable type fall arresters	-
6.9	Environmental conditioning test	ANSI/ASSE Z359.14, cl. 4.3.4.3.1, 4.3.4.3.2, 4.3.4.3.3	Retractable type fall arresters	-
6.10	Retraction tension test	CSA Z259.2.2, cl. 7.1	Retractable type fall arresters	-
6.11	Post-dynamic creep test	CSA Z259.2.2, cl. 7.3	Retractable type fall arresters	-
6.12	Aggregate energy absorption test	CSA Z259.2.2, cl. 7.8	Retractable type fall arresters	-
6.13	Locking performance test	CSA Z259.2.2, cl. 7.6	Retractable type fall arresters	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Honeywell, spol. s r.o. – HTS CZ o.z.
CAB number 1757, IA Testing Laboratory
Tuřanka 1460/106a, Slatina, 627 00 Brno

Ordinal number[1]	Test procedure /method name	Test procedure / method identification[2]	Subject of the test	Degrees of freedom[3]
6.14	Retrieval performance test	CSA Z259.2.2, cl. 7.5	Retractable type fall arresters	-
6.15	Edge test	CSA Z259.2.2, cl. 7.7	Retractable type fall arresters	-
7	**Full body harness**			
7.1	Static strength test	ČSN EN 361, cl. 5.1; EN 361, cl. 5.1; ČSN EN 364, cl. 5.1.4; EN 364, cl. 5.1.4; ANSI/ASSE Z359.11, cl. 4.3.5, 4.3.7	Full body harnesses	-
7.2	Dynamic performance test	ČSN EN 361, cl. 5.2; EN 361, cl. 5.2; ČSN EN 364, cl. 5.1.2; EN 364, cl. 5.1.2; ANSI/ASSE Z359.11, cl. 4.3.3, 4.3.4	Full body harnesses	-
7.3	Visual indicator test	ANSI/ASSP Z359.11, cl. 4.3.6	Full body harnesses	-
7.4	Dynamic drop test	CSA Z259.10, cl. 6.2.2	Full body harnesses	-
7.5	Measuring of the angle of test mass at rest after drop test	CSA Z259.10, cl. 6.2.4	Full body harnesses	-
7.6	Harness stretch after drop test	CSA Z259.10, cl. 6.2.5	Full body harnesses	-
7.7	Fall arrest indicator static test	CSA Z259.10, cl. 6.2.6	Full body harnesses	-
7.8	Fall arrest indicator dynamic test	CSA Z259.10, cl. 6.2.7	Full body harnesses	-
8	**Sit harnesses**			
8.1	Dynamic strength test	ČSN EN 813, cl. 5.4; EN 813, cl. 5.4	Sit harnesses	-
8.2	Static strength test	ČSN EN 813, cl. 5.5; EN 813, cl. 5.5	Sit harnesses	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Honeywell, spol. s r.o. – HTS CZ o.z.
CAB number 1757, IA Testing Laboratory
Tuřanka 1460/106a, Slatina, 627 00 Brno

Ordinal number[1]	Test procedure /method name	Test procedure / method identification[2]	Subject of the test	Degrees of freedom[3]
8.3	Corrosion resistance test	ČSN EN 813, cl. 5.6; EN 813, cl. 5.6; ČSN EN ISO 9227, cl. 5.2.2; EN ISO 9227, cl. 5.2.2	Sit harnesses	-
9	**Rescue harnesses**			
9.1	Dynamic strength test	ČSN EN 1497, cl. 5.2; EN 1497, cl. 5.2	Rescue harnesses	-
9.2	Static strength test	ČSN EN 1497, cl. 5.3; EN 1497, cl. 5.3	Rescue harnesses	-
9.3	Corrosion resistance test	ČSN EN 1497, cl. 5.4; EN 1497, cl. 5.4; ČSN EN ISO 9227, cl. 5.2.2; EN ISO 9227, cl. 5.2.2	Rescue harnesses	-
10	**Anchor devices**			
10.1	Deformation test	ČSN EN 795, cl. 5.3.2, 5.4.2, 5.5.2, 5.6.2, 5.7.1; EN 795, cl. 5.3.2, 5.4.2, 5.5.2, 5.6.2, 5.7.1	Anchor devices	-
10.2	Dynamic strength test and integrity test	ČSN EN 795, cl. 5.3.3, 5.4.3, 5.5.3, 5.6.3; EN 795, cl. 5.3.3, 5.4.3, 5.5.3, 5.6.3	Anchor devices	-
10.3	Static strength test	ČSN EN 795, cl. 5.3.4, 5.4.4, 5.5.4, 5.6.4, 5.7.4; EN 795, cl. 5.3.4, 5.4.4, 5.5.4, 5.6.4, 5.7.4	Anchor devices	-
10.4	Post arrest suspension test	ČSN EN 795, cl. 5.7.3; EN 795, cl. 5.7.3	Anchor devices	-
10.5	Dynamic performance test	ČSN EN 795, cl. 5.7.2; EN 795, cl. 5.7.2	Anchor devices	-
10.6	Corrosion resistance test	ČSN EN 795, cl. 5.8; EN 795, cl. 5.8; ČSN EN ISO 9227, cl. 5.2.2; EN ISO 9227, cl. 5.2.2	Anchor devices	-
10.7	Static loading test	EAD 331072-00-0601, cl. 2.2.3	Anchor devices	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Honeywell, spol. s r.o. – HTS CZ o.z.
CAB number 1757, IA Testing Laboratory
Tuřanka 1460/106a, Slatina, 627 00 Brno

Ordinal number[1]	Test procedure /method name	Test procedure / method identification[2]	Subject of the test	Degrees of freedom[3]
10.8	Dynamic loading test	EAD 331072-00-0601, cl. 2.2.4	Anchor devices	-
10.9	Deformation capacity test	EAD 331072-00-0601. cl 2.2.5	Anchor devices	-
11	**Temporary edge protection systems**			
11.1	Measurement of deflection after loading	ČSN EN 14122-3, cl. 8.2; EN 14122-3, cl. 8.2	Testing of guard-rails	-
11.2	Measurement of deflection after loading	ČSN EN 14122-3, cl. 8.3; EN 14122-3, cl. 8.3	Steps of a stair	-
11.3	Serviceability test	ČSN EN 13374+A1, cl. 7.4.2; EN 13374+A1, cl. 7.4.2	Temporary edge prot ection systems	-
11.4	Test for strength	ČSN EN 13374+A1, cl. 7.4.3; EN 13374+A1, cl. 7.4.3	Temporary edge prot ection systems	-
11.5	Dynamic load test	ČSN EN 13374+A1, cl. 7.5; EN 13374+A1, cl. 7.5	Temporary edge prot ection systems	-
12	**Descender and lifting devices for rescue**			
12.1	Dynamic strength test	ČSN EN 341, cl. 5.3; EN 341, cl. 5.3	Descender devices for rescue	-
12.2	Function tests			-
12.2.1	Dry condition function test	ČSN EN 341, cl. 5.4.1; EN 341, cl. 5.4.1	Descender devices for rescue	-
12.2.2	Wet condition function test	ČSN EN 341, cl. 5.4.2; EN 341, cl. 5.4.2	Descender devices for rescue	-
12.2.3	Wet and cold condition function test	ČSN EN 341, cl. 5.4.3; EN 341, cl. 5.4.3	Rescue lifting devices	-
12.2.4	Very cold condition function test	ČSN EN 341, cl. 5.4.4; EN 341, cl. 5.4.4	Descender devices for rescue	-
12.3	Function tests	ČSN EN 1496, cl. 5.8; EN 1496, cl. 5.8	Rescue lifting devices	-
12.4	Static strength test	ČSN EN 341, cl. 5.6; EN 341, cl. 5.6;	Descender devices for rescue	-
12.5	Static strength test	ČSN EN 1496, cl. 5.6; EN 1496, cl. 5.6	Rescue lifting dev	-
12.6	Test for operating force	ČSN EN 341, cl. 5.7; EN 341, cl. 5.7	Descender devices for rescue	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Honeywell, spol. s r.o. – HTS CZ o.z.
CAB number 1757, IA Testing Laboratory
Tuřanka 1460/106a, Slatina, 627 00 Brno

Ordinal number[1]	Test procedure /method name	Test procedure / method identification[2]	Subject of the test	Degrees of freedom[3]
12.7	Holding force test	ČSN EN 341, cl. 5.8; EN 341, cl. 5.8	Descender devices for rescue	-
12.8	Corrosion resistance test	ČSN EN 341, cl. 5.10; EN 341, cl. 5.10; ČSN EN ISO 9227, cl. 5.2.2; EN ISO 9227, cl. 5.2.2	Descender devices for rescue	-
12.9	Corrosion resistance test	ČSN EN 1496, cl. 5.7; EN 1496, cl. 5.7; ČSN EN ISO 9227, cl. 5.2.2; EN ISO 9227, cl. 5.2.2	Rescue lifting devices	-
12.10	Operating force test	ČSN EN 1496, cl. 5.4; EN 1496, cl. 5.4	Rescue lifting devices	-
12.11	Dynamic performance test	ČSN EN 1496, cl. 5.5; EN 1496, cl. 5.5	Rescue lifting devices	-
13	**PPE Footwear**			
13.1	Determination of impact resistance	ČSN EN ISO 20344, cl. 5.4; EN ISO 20344, cl. 5.4	PPE Footwear	-
13.2	Determination of compression resistance	ČSN EN ISO 20344, cl. 5.5; EN ISO 20344, cl. 5.5	PPE Footwear	-
13.3	Determination of slip resistance	ČSN EN ISO 20344, cl. 5.14; EN ISO 20344, cl. 5.14, ČSN EN ISO 13287; EN ISO 13287	PPE Footwear	-
13.4	Determination of flexing resistance of outsole	ČSN EN ISO 20344, cl. 8.6; EN ISO 20344, cl. 8.6, ČSN EN ISO 17707; EN ISO 17707	PPE Footwear	-
13.5	Determination of impact resistance	ČSN EN ISO 22568-1, cl. 5.3; EN ISO 22568-1, cl. 5.3	Metallic toecaps	-
13.6	Determination of compression resistance	ČSN EN ISO 22568-1, cl. 5.4; EN ISO 22568-1, cl. 5.4	Metallic toecaps	-

Accredited entity according to ČSN EN ISO/IEC 17025:2018:

Honeywell, spol. s r.o. – HTS CZ o.z.

CAB number 1757, IA Testing Laboratory
Tuřanka 1460/106a, Slatina, 627 00 Brno

Ordinal number[1]	Test procedure /method name	Test procedure / method identification[2]	Subject of the test	Degrees of freedom[3]
13.7	Determination of impact resistance	ČSN EN ISO 22568-2, cl. 5.3; EN ISO 22568-2, cl. 5.3	Non-metallic toecaps	-
13.8	Determination of compression resistance	ČSN EN ISO 22568-2, cl. 5.4; EN ISO 22568-2, cl. 5.4	Non-metallic toecaps	-

[1] asterisk at the ordinal number identifies the tests, which the laboratory is qualified to carry out outside the permanent laboratory premises

[2] if the document identifying the test procedure is dated, only these specific procedures are used. If the document identifying the test procedure is not dated, the latest valid edition of the specified procedure is used (including any changes)

[3] the laboratory does not apply a flexible approach to the scope of accreditation

Explanations:

ČSN	Czech technical standard
EN	European Standards
CSA	Canadian Standards Association
ANSI	American National Standards Institute
ASSE	American Society of Safety Engineers
ASSP	American Society of Safety Professionals
EAD	European Assessment Document

"This document is an appendix to the certificate of accreditation. In case of any discrepancies between the English and Czech versions, the Czech version shall prevail, both for the certificate appendix and the certificate itself."